



ULTRASOUND DATA & UPDATED CARCASS EPD'S

LOT	SCROTAL	FRAME	IMF ADJ.	IMF RATIO	BF ADJ.	BF RATIO	REA ADJ.	REA RATIO	YG EPD	MB EPD	BF EPD	REA EPD
1	39	6	4.82	121	0.32	100	15.15	104	-0.33	0.25	-0.061	0.84
2	40	5.5	3.17	79	0.33	103	13.93	96	-0.25	0.33	-0.037	0.86
3	38	6	3.68	103	0.41	111	18.02	116	-0.26	0.32	-0.053	1.02
4	37	6	3.33	93	0.48	130	14.72	95	-0.28	0.52	-0.058	0.83
5	38	6	3.05	85	0.30	81	15.69	101	-0.35	0.29	-0.060	1.08
6	38	6.5	3.45	97	0.33	89	14.41	93	-0.13	0.31	-0.026	0.92
6	32	5	3.91	100	0.42	100	12.95	100	-0.17	0.35	-0.034	0.61
7	35	6	3.57	100	0.20	100	16.00	100	-0.43	0.42	-0.084	1.30
8	36	5	2.57	100	0.25	100	14.68	100	-0.39	0.21	-0.065	1.09
10	39	5.5	4.39	100	0.36	100	15.03	100	0.00	0.69	0.002	0.84
11	37	5	2.53	86	0.25	93	15.00	104	-0.33	0.24	-0.055	1.06
12	38	6	3.05	85	0.39	105	14.99	97	-0.16	0.30	-0.020	0.77
13	39	6.5	3.13	102	0.47	127	18.54	115	-0.44	0.43	-0.057	1.48
14	40	6.5	2.84	93	0.43	116	18.45	114	-0.35	0.48	-0.039	1.15
15	37	5.5	2.64	100	0.22	100	14.81	100	-0.36	0.51	-0.055	1.21
16	36	5	2.18	85	0.20	77	15.76	104	-0.48	0.25	-0.078	1.52
17	40	5	3.17	104	0.37	100	14.75	91	-0.45	0.45	-0.076	1.26
18	37	6	3.71	121	0.32	86	14.82	92	-0.45	0.48	-0.078	1.36
19	34	5.5	2.88	100	0.24	100	13.64	100	-0.41	0.34	-0.056	1.17
20	37	5	2.75	93	0.23	85	13.92	96	-0.26	0.59	-0.038	0.74
21	37	6	5.46	153	0.37	100	15.79	102	-0.29	0.76	-0.056	1.03
22	35	5	2.95	100	0.29	100	12.12	100	-0.35	0.46	-0.055	0.85
23	38	6	2.79	98	0.32	119	15.88	111	-0.37	0.53	-0.043	1.36
24	40	6	2.88	101	0.22	81	12.81	89	-0.37	0.48	-0.056	1.20
25	38	5.5	3.25	91	0.28	76	15.40	99	-0.45	0.16	-0.086	1.18
26	35	5.5	2.84	80	0.35	95	14.99	97	-0.31	0.53	-0.056	0.90
27	37	6	2.96	115	0.32	123	14.58	96	-0.52	0.06	-0.089	1.42
28	36	6	2.83	96	0.33	122	13.57	94	-0.20	0.34	-0.037	1.20
29	37	6	4.76	100	0.43	100	12.72	100	-0.36	-0.03	-0.068	0.97



ULTRASOUND DATA & UPDATED CARCASS EPD'S

LOT	SCROTAL	FRAME	IMF ADJ.	IMF RATIO	BF ADJ.	BF RATIO	REA ADJ.	REA RATIO	YG EPD	MB EPD	BF EPD	REA EPD
30	41	6.5	3.76	127	0.39	144	15.81	109	-0.25	0.38	-0.047	0.94
31	38	6	3.43	116	0.22	81	13.60	94	-0.27	0.31	-0.052	0.86
32	38	6	4.55	118	0.26	90	14.51	97	-0.33	0.2	-0.075	1.04
33	37	6	3.17	82	0.32	110	15.43	103	-0.35	0.16	-0.088	0.83
34	38	5.5	2.38	81	0.19	70	14.95	103	-0.42	0.24	-0.096	1.03
35	38	6	2.11	59	0.28	76	16.39	106	-0.35	0.28	-0.050	1.00
36	36	6.5	2.68	100	0.20	100	18.89	100	-0.46	0.35	-0.098	1.29
37	40	6	5.44	152	0.50	135	14.94	96	-0.29	0.63	-0.022	1.26
38	36	6	3.61	100	0.32	100	14.76	100	-0.41	0.59	-0.050	1.51
39	35	5	4.97	100	0.43	100	15.21	100	-0.28	0.31	-0.029	0.74
40	38	6	2.43	79	0.24	65	14.08	87	-0.53	0.14	-0.103	1.14
41	34	5	5.45	99	0.44	102	14.70	99	-0.34	0.48	-0.048	0.94
42	38	5.5	5.57	101	0.42	98	14.89	101	-0.43	0.49	-0.064	1.03
43	35	5.5	2.84	100	0.30	100	15.39	100	-0.27	0.36	-0.087	0.64
44	38	5	3.21	100	0.31	100	13.15	100	-0.08	0.44	-0.003	0.23
45	35	6	2.60	100	0.25	100	13.73	100	-0.10	0.39	-0.045	0.20
46	39	5.5	5.22	96	0.29	83	14.51	103	0.01	1.09	0.024	1.00
47	40	6	5.68	104	0.42	120	13.64	97	-0.03	1.00	-0.009	0.72

ANGUS ULTRASOUND DATA (* DENOTES FIGURES THAT NOT ADJUSTED)

LOT	SCROTAL	FRAME	IMF	IMF RATIO	RIB FAT	RIB RATIO	REA	REA RATIO
48	38	5.5	10.52	100	0.36	100	14.80	100
49	39	5	4.62	100	0.39	100	13.40	100
50	40	6	5.33	109	0.50	100	14.00	104
51	39	5.5	3.79	77	0.51	102	13.10	97
52	40	6	5.60	114	0.49	99	13.40	99
53	38	6	6.99	100	0.27	100	14.10	100
54	34	6	4.74*	100	0.32*	100	12.80*	100
55	38	5.5	8.20	100	0.26	100	13.40	100